


陸前高田市漁港位置図

小地図

N



凡 例

調査地点	座標
①脇の沢	N38.997583055 E141.654791487
②小友浦	N38.995621630 E141.673518564
③大陽	N38.969911686 E141.669331787
④泊	N38.951706894 E141.678851048
⑤福伏	N38.971093710 E141.638442462
⑥要谷	N38.981441502 E141.632535298
⑦長部	N38.993364281 E141.632496776
⑧高田沖	N38.002276544 E141.643874182

令和7年度 広田湾漁場環境調査（水深5m測定値）

I クロロフィルa ($\mu\text{g/L}$)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	2.5	1.6	0.8	0.2	1.2	1.3	0.8	1.1	2.1
②小友浦	2.7	1.7	0.6	0.3	1.0	1.1	0.9	1.2	1.0
③大陽	2.7	1.2	0.2	0.4	0.3	0.3	0.8	1.6	1.3
④泊	3.5	1.3	0.2	0.2	0.2	0.4	0.8	2.7	1.2
⑤福伏	1.8	1.9	0.2	0.5	0.9	1.3	1.5	4.4	1.5
⑥要谷	2.1	1.8	0.2	0.5	0.8	1.4	1.2	2.4	2.1
⑦長部	2.6	2.9	0.7	0.3	1.0	1.3	0.8	1.8	1.3
⑧高田沖	2.4	1.4	0.5	0.3	0.5	1.5	0.9	2.3	1.7

II 水温 (°C)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	9.2	11.3	13.9	17.1	23.5	23.9	19.3	14.3	11.6
②小友浦	9.2	11.4	13.7	16.9	23.6	23.9	19.7	13.2	10.8
③大陽	8.9	11.6	13.4	16.6	23.4	23.9	19.6	14.4	11.7
④泊	8.6	11.2	15.0	17.8	23.5	23.8	19.5	14.4	11.6
⑤福伏	9.0	11.3	13.7	17.7	23.0	24.1	19.9	14.2	11.2
⑥要谷	9.0	11.2	14.0	17.1	23.3	24.6	20.0	14.5	11.3
⑦長部	9.1	11.0	14.0	17.0	23.4	24.1	19.9	14.5	11.2
⑧高田沖	9.0	11.2	13.8	17.3	23.8	24.3	19.6	14.6	11.3

III 塩分 (PSU)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	33.4	33.3	33.4	33.6	33.5	33.2	33.5	33.8	33.7
②小友浦	33.3	33.3	33.4	33.6	33.6	33.2	33.6	33.4	33.5
③大陽	33.4	33.2	33.4	33.6	33.6	33.3	33.5	33.7	33.8
④泊	33.5	33.3	33.3	33.5	33.7	33.3	33.5	33.7	33.7
⑤福伏	33.5	33.3	33.4	33.4	33.5	33.1	33.4	33.6	33.5
⑥要谷	33.5	33.2	33.4	33.5	33.5	33.2	33.5	33.8	33.6
⑦長部	33.4	33.3	33.4	33.6	33.5	33.2	33.6	33.8	33.6
⑧高田沖	33.3	33.3	33.4	33.6	33.6	33.0	33.5	33.8	33.7

IV 溶存酸素 (mg/L)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	10.8	10.1	9.8	8.6	7.6	7.2	6.5	7.7	8.7
②小友浦	10.4	10.1	9.4	8.6	7.5	7.0	6.4	7.9	8.4
③大陽	10.2	10.0	9.3	8.6	7.3	6.9	7.0	7.7	8.7
④泊	10.2	9.9	9.1	8.5	7.3	6.9	7.1	8.2	8.5
⑤福伏	10.7	10.5	9.4	9.0	7.7	7.2	7.0	8.6	8.9
⑥要谷	10.8	10.4	9.3	8.9	7.8	7.4	6.8	8.0	8.4
⑦長部	10.6	10.3	9.2	8.8	7.6	7.2	6.8	7.3	8.0
⑧高田沖	10.7	10.2	9.4	8.6	7.4	7.2	6.6	7.5	8.3

陸前高田市漁港位置図



令和7年度 広田湾漁場環境調査 (水深10m測定値)

I クロロフィルa ($\mu\text{g/L}$)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	-	-	-	-	-	-	-	-	-
②小友浦	-	-	-	-	-	-	-	-	-
③大陽	3.3	2.4	0.6	0.6	0.6	0.3	0.7	1.5	0.9
④泊	1.9	3.2	0.2	0.5	0.5	0.5	0.8	2.8	1.5
⑤福伏	3.0	2.1	0.6	0.6	0.7	1.8	0.8	2.6	3.0
⑥要谷	2.9	1.7	0.7	0.6	1.0	1.5	0.7	2.7	1.3
⑦長部	1.8	2.1	1.6	0.5	1.1	1.7	0.6	1.0	1.7
⑧高田沖	-	2.2	1.1	1.6	2.8	2.5	1.0	1.0	1.6

II 水温 (°C)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	-	-	-	-	-	-	-	-	-
②小友浦	-	-	-	-	-	-	-	-	-
③大陽	8.6	10.7	12.7	16.3	22.9	23.9	19.6	14.3	11.8
④泊	8.5	10.4	13.4	17.6	22.8	23.7	19.6	14.3	11.6
⑤福伏	8.6	10.5	13.2	16.4	22.8	24.0	19.9	14.6	11.6
⑥要谷	8.7	10.4	13.2	16.2	22.9	23.8	19.8	14.4	11.2
⑦長部	8.7	10.5	13.3	16.6	23.1	23.8	19.8	14.6	11.3
⑧高田沖	-	10.4	13.3	16.4	22.9	24.0	19.6	14.2	11.2

III 塩分 (PSU)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	-	-	-	-	-	-	-	-	-
②小友浦	-	-	-	-	-	-	-	-	-
③大陽	33.5	33.4	33.5	33.6	33.6	33.3	33.5	33.7	33.8
④泊	33.6	33.4	33.5	33.5	33.6	33.3	33.5	33.7	33.7
⑤福伏	33.5	33.4	33.5	33.6	33.6	33.3	33.5	33.8	33.8
⑥要谷	33.5	33.4	33.5	33.6	33.6	33.3	33.6	33.8	33.6
⑦長部	33.5	33.4	33.5	33.6	33.6	33.3	33.6	33.8	33.7
⑧高田沖	-	33.4	33.5	33.6	33.6	33.3	33.5	33.7	33.6

IV 溶存酸素 (mg/L)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	-	-	-	-	-	-	-	-	-
②小友浦	-	-	-	-	-	-	-	-	-
③大陽	10.1	10.0	9.6	8.6	7.4	6.9	7.0	7.7	8.6
④泊	9.9	10.0	9.5	8.5	7.4	6.9	7.1	7.9	8.5
⑤福伏	10.9	10.1	9.3	8.9	7.5	7.0	6.9	7.7	8.6
⑥要谷	10.6	10.0	9.4	9.1	7.7	7.3	6.9	7.7	8.3
⑦長部	10.0	9.6	9.1	8.9	7.5	7.0	6.6	7.3	7.7
⑧高田沖	-	9.4	8.8	8.9	7.5	6.2	6.6	7.6	8.2

陸前高田市漁港位置図



令和7年度 広田湾漁場環境調査 (水深15m測定値)

I クロロフィルa ($\mu\text{g/L}$)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	-	-	-	-	-	-	-	-	-
②小友浦	-	-	-	-	-	-	-	-	-
③大陽	2.9	2.2	4.3	0.7	0.8	0.7	0.7	0.8	1.2
④泊	2.7	3.0	0.5	0.4	0.7	0.5	0.8	1.4	1.8
⑤福伏	3.1	1.7	0.8	0.7	1.2	2.3	0.6	0.9	1.8
⑥要谷	2.2	1.8	2.9	1.1	1.1	2.2	0.5	1.3	1.3
⑦長部	-	-	-	-	-	-	-	-	-
⑧高田沖	-	-	-	-	-	-	-	-	-

II 水温 (°C)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	-	-	-	-	-	-	-	-	-
②小友浦	-	-	-	-	-	-	-	-	-
③大陽	8.5	10.2	12.4	16.0	22.6	23.7	19.7	14.3	11.7
④泊	8.4	10.1	12.6	16.5	22.3	23.7	19.6	14.4	11.6
⑤福伏	8.6	10.1	12.8	16.0	22.6	23.8	19.7	14.6	11.3
⑥要谷	8.3	10.0	12.9	15.9	22.8	23.6	19.7	14.3	11.1
⑦長部	-	-	-	-	-	-	-	-	-
⑧高田沖	-	-	-	-	-	-	-	-	-

III 塩分 (PSU)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	-	-	-	-	-	-	-	-	-
②小友浦	-	-	-	-	-	-	-	-	-
③大陽	33.6	33.5	33.5	33.6	33.6	33.3	33.6	33.8	33.7
④泊	33.6	33.4	33.5	33.6	33.7	33.3	33.5	33.8	33.7
⑤福伏	33.5	33.5	33.5	33.6	33.6	33.3	33.6	33.8	33.7
⑥要谷	33.5	33.5	33.5	33.6	33.6	33.4	33.6	33.7	33.6
⑦長部	-	-	-	-	-	-	-	-	-
⑧高田沖	-	-	-	-	-	-	-	-	-

IV 溶存酸素 (mg/L)

	4/18	5/18	6/19	7/22	8/15	9/19	10/21	11/20	12/19
①脇の沢	-	-	-	-	-	-	-	-	-
②小友浦	-	-	-	-	-	-	-	-	-
③大陽	10.1	9.6	10.2	8.6	7.5	6.9	7.0	7.5	8.5
④泊	9.8	9.8	9.9	8.6	7.5	6.9	7.1	7.6	8.5
⑤福伏	10.3	9.7	9.5	8.9	7.6	6.8	6.9	7.1	8.1
⑥要谷	9.6	9.5	9.4	8.9	7.6	7.1	6.3	7.5	8.2
⑦長部	-	-	-	-	-	-	-	-	-
⑧高田沖	-	-	-	-	-	-	-	-	-